



8 7 6 5 4 3 2 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



THIRD ANGLE PROJECTION	REQUIREMENTS-UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.			
	GENERAL				CLIENT	10520 YONGE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7			
MATERIAL	1. DIMS ARE IN INCHES (MM)				CONTRACTOR	TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com			
	2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				DESIGN	TITLE			
FINISH	3. MACHINE FINISH 125 MICRO INCH RMS				DATE	OUTLINE DRAWING OF			
	4. INTERNAL RADII .015				PROJECT	9" X-STREAM AIR BLADE AIR KNIFE			
5. BREAK SHARP CORNERS .005 TO .015				STRESS	WITH IONIZER				
LIMITS				MANUFACTURING	SIZE	CAGE CODE	DWG NO	RELEASE	REV
1. LINEAR DIMS				THERMAL	15009X/16009X				
.00K = .005				MATERIALS	SCALE	1:1	CAD NO	XAKI-9	SHEET 1 OF 1
.00X = .010				MECHANISM					
.00Z = .030									
2. ANGLES = ± 1/2"									
3. RUNOUT .010 THR									
4. HOLES IN ACCORDANCE WITH AND 10387									
NEXT ASSEMBLY	USED ON	QTY PER ASST	PART NO						

8 7 6 5 4 3 2 1