



NOTE
 THE SANITARY FLANGE IN THE
 DRAWING CONFIRMS TO ISO-2852.

PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION		REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.					
		GENERAL				CLIENT	10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7					
MATERIAL	SS-316L	1. DIMS ARE IN INCHES(MM)				CONTRACTOR	DATE	TITLE				
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				CHIRAGS	02/10/2017	2.5" SS-316L RING VAC ASSEMBLY				
FINISH		3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	CHECKED	SIZE	CAGE CODE	DWG NO	RELEASE	REV
		4. INTERNAL RADII .015				ALPS		C			P	1
		5. BREAK SHARP CORNERS .005 TO .015				PROJECT	G.A.					
		LIMITS				STRESS	MANUFACTURING					
		1. LINEAR DIMS				MECHANISM	ELECTRICAL					
		.XX = .005										
		.X = .010										
		.X = .030										
		2. ANGLES = ± 1/2°										
		3. RUNOUT .010 TIR										
		4. HOLES IN ACCORDANCE WITH AND 10387										
		NEXT ASSEMBLY	USED ON	QTY PER ASST	PART NO	SCALE	CAD NO	SHEET		OF		
						1:1		1		1		