



PROPRIETARY  
 REPRODUCTION OR DISTRIBUTION  
 WITHOUT WRITTEN CONSENT OF  
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION	
MATERIAL	SS-304
FINISH	BUFFING

REV	DATE	DESCRIPTION

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	
GENERAL	
1.	DIMS ARE IN INCHES (MM)
2.	FINISHING AND TOLERANCING IN ACCORDANCE WITH ASME Y14.5 (1994)
3.	MACHINING FINISH 125 MICRO INCH RA32
4.	INTERNAL RADI .015
5.	BREAK SHARP CORNERS .005 TO .015
LIMITS	
1.	LINEAR DIMS. .000" - .005" = .0005 .005" - .010" = .0010 .010" - .030" = .0015 .030" - .060" = .0020 .060" - .120" = .0030 .120" - .240" = .0040 .240" - .480" = .0050 .480" - .960" = .0075 .960" - 1.920" = .0100 OVER 1.920" = .0150
2.	ANGLES = ± 1/2°
3.	RUNOUT .010 THRU
4.	HOLES IN ACCORDANCE WITH ASME Y14.5

CONTRACT NUMBER	---
CLIENT	---
CONTRACTOR	---
DRAWN	CHAS/AG/S
DATE	30/01/2019
DESIGN	CHAS/AG/S
LES	---
PROJECT	---
FINISH	---
MANUFACTURING	---
MATERIALS	---
ELECTRICAL	---

NEX FLOW AIR PRODUCTS CORP.				
10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3G7 TEL: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com				
TITLE				
MOUNTING BRACKET FOR 1-1/2" RING VAC				
SIZE	CAGE CODE	DWG NO	RELEASE	REV
---	---	39003S	P	1
SCALE	1:1	CAD NO	SHEET	1 OF 1