



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ IS PROHIBITED.

THIRD ANGLE PROJECTION	
MATERIAL	SS-304
FINISH	BUFFING

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	CONTRACT NUMBER
GENERAL	CLIENT
1. DIMS ARE IN INCHES [MM]	CONTRACTOR
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ASME Y14.5 (1994)	DATE
3. MACHINE FINISH 125 MICRO INCH RMS	DESIGNED
4. INTERNAL RADI .015	LES
5. BREAK SHARP CORNERS .005 TO .015	PROJECT
LIMITS	DRAWN
1. LINEAR DIMS	DATE
XXX = .005	30/01/2019
XX = .010	
X = .030	
2. ANGLES = ± 1/2°	
3. RUNOUT .010 TIR	
4. HOLES IN ACCORDANCE WITH AND 10387	

STRESS	MANUFACTURING	SIZE	CAGE CODE	DWG NO	RELEASE	REV
THERMAL	MATERIALS	D	—	39007S	P	1
MEDIAISM	ELECTRICAL	SCALE	1:1	CAD NO	—	SHEET 1 OF 1

NEX FLOW AIR PRODUCTS CORP.
 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL.:
 (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com

TITLE
 MOUNTING BRACKET FOR
 4" RING VAC