

5

4

3

2

1

C


C

B

B

A

A



PROPRIETARY
 REPRODUCTION OR DISTRIBUTION
 WITHOUT WRITTEN CONSENT OF
 NEXFLOW™ PRODUCTS IS PROHIBITED.

THIRD ANGLE PROJECTION	
MATERIAL	
FINISH	

REQUIREMENTS—UNLESS OTHERWISE SPECIFIED				
GENERAL				
1. DIMS ARE IN INCHES (MM)				
2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				
3. MACHINE FINISH 125 MICRO INCH RMS				
4. INTERNAL RADI .015				
5. BREAK SHARP CORNERS .005 TO .015				
LIMITS				
1. LINEAR DIMS.				
.XX = .005				
.X = .015				
X = .030				
2. ANGLES = ± 1/2°				
3. RUNOUT .010 TIR				
NEXT ASSEMBLY	USED ON	QTY PER ASSY	PART NO	
PART NO				

CONTRACT NUMBER	—
CLIENT	—
CONTRACTOR	—
DRAWN	CHIRAG.S
DESIGN	—
PROJECT	—
STRESS	—
THERMAL	—
MECHANISM	ELECTRICAL

NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com				
TITLE OUTLINE DRAWING OF 24" STANDARD AIR BLADE AIR KNIFE WITH RN IONIZER / VS IONIZER				
DATE	19/11/2020	CHECKED	LES	
Q.A.	—	SCALE	1:1	
SIZE	—	CAGE CODE	—	
DWG NO	15024/16024	RELEASE	—	
SHEET	1	OF	1	

5

4

3

2

1