




8 7 6 5 4 3 2 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



THIRD ANGLE PROJECTION		—	—	—	—	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	CONTRACT NUMBER —	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com								
		—	—	—	—	GENERAL	CLIENT —									
MATERIAL	ALUMINIUM	—	—	—	—	1. DIMS ARE IN INCHES (MM)	CONTRACTOR —	DATE	TITLE 12" X-STREAM AIR BLADE AIR KNIFE WITH IONIZER							
		—	—	—	—	2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)	DESIGN	27/11/2013								
FINISH	—	—	—	—	—	3. MACHINE FINISH 125 MICRO INCH RMS	PROJECT	G.A.	SIZE CASE CODE DWG NO RELEASE REV							
		—	—	—	—	4. INTERNAL RADII .015	STRESS	MANUFACTURING					15012X/16012X			
		—	—	—	—	5. BREAK SHARP CORNERS .005 TO .015 LIMITS	MECHANISM	ELECTRICAL	SCALE	1:1	CAD NO	XAKI-12	SHEET	1	OF	1
		—	—	—	—	1. LINEAR DIMS XXX = .005 XX = .010 X = .030										
		—	—	—	—	2. ANGLES = ± 1/2"										
		—	—	—	—	3. RUNOUT .010 THR										
		—	—	—	—	4. HOLES IN ACCORDANCE WITH AND 10387										
		—	—	—	—	NEXT ASSEMBLY USED ON QTY PER ASSY PART NO										

8 7 6 5 4 3 2 1