


8 7 6 5 4 3 2 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



THIRD ANGLE PROJECTION		—	—	—	—	REQUIREMENTS—UNLESS OTHERWISE SPECIFIED	CONTRACT NUMBER —	NEX FLOW AIR PRODUCTS CORP. 10520 YONGE STREET, UNIT 35B-220, RICHMOND HILL, ON L4C 3C7 TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com					
		GENERAL				1. DIMS ARE IN INCHES (MM)	CLIENT —	TITLE 36" X-STREAM AIR BLADE AIR KNIFF WITH IONIZER					
MATERIAL	ALUMINIUM	—	—	—	—	2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)	CONTRACTOR —	DATE 27/11/2013	DESIGN S.PATIL				
		—	—	—	—	3. MACHINE FINISH 125 MICRO INCH RMS	PROJECT —	CHECKED ASHISH	G.A.				
FINISH	—	—	—	—	—	4. INTERNAL RADII .015	STRESS —	MANUFACTURING —	SIZE	CAGE CODE	DWG NO	RELEASE	REV
		—	—	—	—	5. BREAK SHARP CORNERS .005 TO .015	THERMAL —	MATERIALS —	15036X/16036X	—	—	—	—
NEXT ASSEMBLY		USED ON	QTY PER ASST	PART NO	1. LINEAR DIMS XXX = .005 XX = .010 X = .030	2. ANGLES = ± 1/2"	MECHANISM —	ELECTRICAL —	SCALE 1:1	CAD NO XAKI-36	SHEET 1 OF 1		
PART NO		—	—	—	3. RUNOUT .010 THR	4. HOLES IN ACCORDANCE WITH AND 10387							

8 7 6 5 4 3 2 1