



8 7 6 5 4 3 2 1

NOTES:

- 1 ALL DIMENSIONS SHOWN ARE FINISH OPERATIONAL DIMENSIONS WHICH INCLUDE RESIDUAL COATINGS UNLESS OTHERWISE SPECIFIED.
- 2 PART TO BE PACKED PROPERLY TO AVOID ANY DAMAGE WHILE SHIPPING & HANDLING.
- 3 ALL HORIZONTAL DIMENSIONS ARE SYMMETRICAL ABOUT CENTER LINE UNLESS OTHERWISE SPECIFIED.



THIRD ANGLE PROJECTION		REQUIREMENTS-UNLESS OTHERWISE SPECIFIED				CONTRACT NUMBER	NEX FLOW AIR PRODUCTS CORP.				
		GENERAL				CLIENT	10520 YONGE STREET, UNIT 358-220, RICHMOND HILL, ON L4C 3C7				
MATERIAL	ALUMINIUM	1. DIMS ARE IN INCHES (MM)				CONTRACTOR	TEL.: (416) 410-1313 & FAX: (416) 410-1806 www.nex-flow.com				
		2. DIMENSIONING AND TOLERANCING IN ACCORDANCE WITH ANSI Y14.5 (1982)				DATE	TITLE				
FINISH	-	3. MACHINE FINISH 125 MICRO INCH RMS				DESIGN	OUTLINE DRAWING OF				
		4. INTERNAL RADII .015				CHECKED	48" X-STREAM AIR BLADE AIR KNIFE				
		5. BREAK SHARP CORNERS .005 TO .015				PROJECT	WITH IONIZER				
		LIMITS				MANUFACTURING	SIZE	CAGE CODE	DWG NO	RELEASE	REV
		1. LINEAR DIMS				MATERIALS	15048X/16048X				
		.XXX = .005				MECHANISM	SCALE 1:1 CAD NO XAKI-48 SHEET 1 OF 1				
		.XX = .010									
		.X = .030									
		2. ANGLES = ± 1/2"									
		3. RUNOUT .010 THR									
		4. HOLES IN ACCORDANCE WITH AND 10387									
		PART NO	USED ON	QTY PER ASST	PART NO						

8 7 6 5 4 3 2 1