

**FRIGID-X™ Stainless Steel EASY MOUNT
SIDE MOUNT MAINTENANCE & INSTALLATION**

The EASY MOUNT system is a plug and play system to allow for the installation of a Frigid-X Panel Cooler on the side of an electrical or electronic enclosure quickly and easily.

Simply make a standard 1-1/2" NPS standard knockout on the side of the enclosure as close to the top as possible but still to allow for the installation of the panel cooler onto the side mount. Secure with the lock nut supplied.

Remove the lock ring from the bottom of the panel cooler.

Install (screw in into the side mount) the panel cooler.

You are now ready to install the hose kit inside the enclosure into the brass cold air outlet. The side mount will vent the hot air from the enclosure out through the exhaust opening and out the panel cooler.

Install other items as per instructions for **FRIGID-X™** Panel Coolers.

There are two sizes:

1. Model **69100** to accommodate Panel Coolers 580 BTU/hr capacity and under
2. Model **69200** to accommodate Panel Coolers above 580 BTU/hr capacity

USA & CANADA
Tel: (877) 797-2777
Fax: (877) 797-2660

INTERNATIONAL
Tel: (416) 410-1313
Fax: (416) 410-1806

INTERNET
www.nexflow.com
sales@nexflow.com